



Versatile colours and design effects

Original designs and colours for a perfect match with Tapiflex Excellence 65.





For a **safer step**

with Tapiflex Stairs

50% + natural raw materials

20% + recycled material

100 % recyclable

USINE ISO 14001 certified factories

For an easier and safer access to your premises, Tarkett has developed a range of vinyl floorcoverings for stairs that meet the latest safety norms and offer unique designs.

■ Safety above all and a solution for any situation

Tapiflex Stairs is the result of very recent studies and developments concerning optimum safety and accessibility in public buildings, especially for the visually impaired:

- Contrastive nosing for easier detection by the visually impaired and greater visibility in poorly-lit areas. The nosing contrast varies from 40 to 70% for the entire product line, with siw "Contrast+" products offering over 50% contrast,
- Visually contrasting risers, with turnkey solution, including inverted colours, stripes, etc.
- Specially designed ridges to increase slip resistance,
- Elastic foam backing to cushion impact in the event of falling and to reduce noise.

■ Optimal performance

- Extreme resistance to scratches and abrasion: 1mm thick pure PVC solid surface with TOPCLEAN XPTM surface treatment,
- Excellent resistance to scuffing, soiling and staining.

■ Unique designs

- 17 colours developed entirely from the Tapiflex range and Acczent Excellence ranges, matching stairs and staircase landings perfectly: Uni or Matrix², Wood or Concrete,
- Perfectly sized stair nosing to offer safety without compromising looks,
- Possible match with other Tarkett collections,
- Stair borders for perfect finish.



Tapiflex Stairs is part of Tarkett's choice of sustainable solutions, an integrated system that allows for balancing all the competing needs, while making choices that are truly sustainable and work together aesthetically.



BETTER MATERIALS

Tarkett uses renewable and natural materials whenever possible.

Increasing the level of natural and re-newable materials is the touchstone for new product development. We also regulary review the formulation of existing products to improve their natural and renewable content.



RESOURCE STEWARDSHIP

Our production facilities are ISO 9001 and 14001 certified and are independently audited for environmental risk. Our production facilities monitor five key indicators quarterly: energy consumption, VOC emissions, waste, water consumption and recycling.



PEOPLE-FRIENDLY SPACES

Tarkett makes flooring solutions that provide safe, healthy environments.
We systematically evaluate all our flooring for its contribution to indoor air quality, and provide surface treatments that reduce the need for water, detergents and energy for cleaning.



REUSE AND RECYCLE

We reuse recycled content in our products. We have the largest recycling operation in the flooring industry. In 2008, we diverted over 68,000 tons of flooring products from landfill.

Tapiflex and Acczent Excellence are part of Tarkett's choice of sustainable solutions, an integrated system that allows for balancing all the competing needs, while making choices that are truly sustainable and work together aesthetically.

tile n **security**

ribs and acts as a tactile warning surface to help e by the visually impaired. The tile should contrast ling floor covering to ensure clear visibility.



(with outer beveling), th wear indicator),



borders for a **fect finish**

SB2 corners are designed to form a neat tractive edge around the open end of a step, oncealing the edge of the floorcovering and ir edging.

■ Stair borders










Optimal technical performances

For an easier and safer access to your premises, Tarkett has developed a range of vinyl floorcoverings for stairs that meet the latest norms.


■ Tapiflex Stairs


Tapiflex Stairs is a vinyl floorcovering incorporating a pre-formed tread riser and nosing into a one-piece floorcovering for stairs. The product has foam backing with a wear surface that is protected with TOPCLEAN XP™ PUR reinforcement. It has also a Sanitized® fungi and bacteriostatic treatment for perfect hygiene.



Installation procedure

Roll size is $102 \text{ cm} \times 23 \text{ m}$ (102 cm is to be cut into two; giving two rolls of 51 cm \times 23 m).





Coordinated solutions

CONTRAST RATE		TAPIFLEX STAIRS	PERFECT MATCH WITH TAPIFLEX EXCELLENCE	POSSIBLE MATCH WITH TAPIFLEX EXCELLENCE					
48%	Phosphorescent stair nose	3862 107 - Grey/Anis 3862 001 - Security Grey/Anis 3862 106 - Anis/Grey	Warm Grey Anis	Matrix ² Uni	Pixel	Esquisse	Matrix ²	Pixel	Led
72% Contrast +		3862 104 - Dark Grey	Anthracite	Uni	Uni	Uni Fragmentation	Flocons	Flocons	Ceramic
48%		3862 108 - O range	Orange	Flocons	Matrix²	Matrix²	Pixel	Uni	Flocons
48%	UNI	3862 103 - Warm Grey	Warm Grey	Flocons Coco Sisal	Flocons	Brushed Oak	Washed Oak Zebrano	Matrix ²	Matrix ²
74% Contrast +		3862 109 - Purple	Purple	Esquisse	Esquisse	Matrix ²	Matrix ²	Pixel	Flocons
67% Contrast +		3862 110 - Chocolate	Chocolate	Matrix² Coco Sisal	Matrix ² Ceramic	Ceramic	Fragmentation	Maple	Brushed Oak
48%		3862 111 - Grey beige	Grey beige	Flocons	Matrix ²	Fragmentation	Wood	Matrix ²	Zebrano

